



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/898,736	07/03/2001	Michael L. Clark	0095-199	2415
7590	03/18/2004		EXAMINER	
ATTN: Michael H. Jester THE LAW OFFICES OF MICHAEL H. JESTER 750 B STREET, SUITE 2560 SYMPHONY TOWERS SAN DIEGO, CA 92101			KIM, CHRISTOPHER S	
			ART UNIT	PAPER NUMBER
			3752	
DATE MAILED: 03/18/2004				

Please find below and/or attached an Office communication concerning this application or proceeding.

RECEIVED
APR 07 2004
TECHNOLOGY CENTER R3700

DETAILED ACTION

1. The reply filed on October 23, 2003 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s): the response does not contain a listing of all the claims readable on elected Species A, figures 1-81. See 37 CFR 1.111. Since the above-mentioned reply appears to be *bona fide*, applicant is given **ONE (1) MONTH or THIRTY (30) DAYS** from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christopher S. Kim whose telephone number is (703) 308-8336. The examiner can normally be reached on Monday - Thursday, 6:30 AM - 5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Y. Mar can be reached on (703) 308-2087. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9302.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-1113.



Christopher S. Kim
Primary Examiner
Art Unit 3752

CK